

**G&K CRAFT INDUSTRIES** 126 Shove Street Fall River, MA 02724 Orders - 800-GKCRAFT ech Support - 508-676-3883 Fax - 508-676-3980 gkmail@gkcraft.com

# Safety Data Sheet MX Turguoise 410, MX 4143 and MX 4181

## PRINT DATE: 10/16/19

## 1. PRODUCT IDENTIFICATION

PRODUCT NAME ..... MX Turguoise 410 CHEMICAL FAMILY ..... PHTHALOCYANINE T.S.C.A. STATUS .....COMPLIANCE **RECOMMENDED PRODUCT USE .... TEXTILE MANUFACTURING** RESTRICTED PRODUCT USE ... FOR INDUSTRIAL USE ONLY SUPPLIED BY ...... G&K CRAFT INDUSTRIES **126 SHOVE STREET** FALL RIVER, MA 02724 PHONE: 508-676-3883 **Emergency Telephone Numbers:** 

800-255-3924 ChemTel. (United States)

+ 1 01 813-248-0585 (Outside the United States)

### 2. HAZARDS IDENTIFICATION

GHS Classification:

Health Category 1-Skin Sensitizer



Pictogram:

Warning Signal Word:

H317: May Cause an Allergic Skin Reaction Hazard Statements:

**Precautionary Statements:** 

P264: Wash face, hands, and any exposed skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/eye protection/face protection

P270: Do not eat, drink, or smoke when using this product.

P260: Do not breathe dust/fume/gas/mist/vapors/spray

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water for 15 minutes.

If skin irritation or rash occurs: Get medical advice/attention.

- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302 + P352
- IF INHALED: Remove victim to fresh air and keep at rest in a comfortable P333 + P313 position for breathing.
- P301 + P330 + P331
- P304 + P340

1.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Proprietary Reactive Blue May cause an allergic reaction

The exact ingredient percentages and composition of non-hazardous components have been withheld as a trade secret.

### 4. FIRST-AID MEASURES

#### GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

EYE CONTACT	Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.
SKIN CONTACT	Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.

- INGESTION ...... Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
- INHALATION ......If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11

INDICATION OF ANY SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED No data available

### 5. FIREFIGHTING MEASURES

FLASH POINT .....Not Applicable

EXTINGUISHING MEDIA ......CO2 Dry Chemical Foam Water Fog

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION..... Avoid dusting conditions. May form explosive dust mixtures with air.

## 6. ACCIDENTAL RELEASE MEASURES

#### IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

## 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

In accord with good industrial practice, handle with care and avoid personal contact

CONDTIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBLITIES Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area. Keep the container tightly sealed and away from any incompatible materials (see Section 10).

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

APPROPRIATE ENGINEERING CONTROLS:

Handle with good industrial practices and industrial hygiene. Wash hands after use.

GENERAL PROTECTIVE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing. EYE PROTECTION .......... Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION ........ Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.

RESPIRATORY PROTECTION ......Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.

VENTILATION ..... Use local ventilation.

OTHER ...... Wear overalls, apron or other protective clothing.

#### 9. PHYSICAL DATA

APPEARANCE	POWDER	
COLOR	DARK BLUE	
ODOR	NONE	
ODOR THRESHOLD	NA	
SOLUBILITY IN WATER	120 g/l @ 20C	
BULK DENSITY	ND	
RELATIVE DENSITY	NA	
VISCOSITY	NA	
рН	7.0 @ 10.0 g/l at 20 0	
MELTING POINT/FREEZING	G POINTNA	
PARTITION COEFFICIENT:	N-OCTANOL/WATER	ND
BOILING POINT	NA	
VAPOR PRESSURE	NA	
V APOR DENSITY	NA	
EVAPORATION RATE	NA	
FLAMMABILITY	NA	
FLASH POINT	NA	
INGINITION TEMP	NA	
DECOMPOSITION TEMPER	ATURE ND	
UEL	NA	
LEL	NA	
% VOLATILE:	VALUE: 0.02	UNIT: %

COMMENT: De-Dusting Oil

### 10. STABILITY AND REACTIVITY

#### 11. TOXICOLOGICAL INFORMATION

ANIMAL TOXICITY ORAL - LD50 (INGESTION)	> 5000 mg/kg (RAT)
FISH, LC50	> 100 mg/I 96HR (Oncorhynchus mykiss)
EYE EFFECTS	NON-IRRITANT (RABBIT EYE)
SKIN EFFECTS	NON-IRRITANT (RABBIT)
SENSITIZATION	
	AND SKIN CONTACT.

PRIMARY ROUTE OF EXPOSURE:

INHALAT SKIN CO		NO YES	SKIN ABSO EYE CONT		NO YES	INGESTION: NO
CARCINOGEN S	TATUS:					
IARC:	NO	NTP: NC	)	OSHA: NO	A	CGIH: NO

HMIS: 1 1 0 E

CHRONIC EFFECTS OF OVEREXPOSURE: None known

# SIGNS AND SYMPTOMS OF OVEREXPOSURE:

May be irritating to the eyes, skin, or respiratory tract.

#### MEDICAL CONDITIONS AGGRAVATED:

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

#### 12. ECOLOGICAL INFORMATION

BIODEGRADABILITY: < 20%
BACTERIA TOXICITY IC50:
COD
AOX: ND

>10 mg/l (activated sludge) 1,100 mg/l

PAGE 4

#### 13. DISPOSAL CONSIDERATIONS

PRODUCT: ......If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant. UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

#### 14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL D.O.T. HAZARD CLASSIFICATION: NOT REGULATED FRT. CLASS PACKAGE: 55

IATA(C,P): NON-REGULATED

IMDG: NON-REGULATED

#### 15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title 1ll Section 313 reporting requirements under 40 CFR 372.

SARA 312:	Immediate (acute) health hazard		
	Delayed (chronic) health hazard	No	
	Fire hazard	No	
	Sudden Release of Pressure	No	
	Reactivity	No	

This product is not subject to the German Ordinance that bans certain azo dyes or the 19<sup>th</sup> Amendment of the Council Directive 76/769/EEC.

CALIFORNIA PROPOSITION 65: This product contains components currently on the California List of Known Carcinogens and reproductive Toxins

#### Formaldehyde (50-00-0) 180 ppm

#### 16. OTHER INFORMATION

This company warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. This company makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall this company be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

MSDS Created: March 24, 2017 MSDS Revised: March 24, 2017